L Number	Hits	Search Text	DB	Time stamp
13	138	<pre>(cam or cam\$1shaft) same (mount\$3 or cas\$3 or holder or support\$3) and ((armature or plate) with actuat\$3) and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:15
14	11884	123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:10
15	8	((cam or cam\$1shaft) same (mount\$3 or cas\$3 or holder or support\$3) and ((armature or plate) with actuat\$3) and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3)) and (123/90.11.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:10
17	13	(123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((cam or cam\$1shaft) same (mount\$3 or cas\$3 or holder or support\$3) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:16
16	77	(cam or cam\$1shaft) same (mount\$3 or cas\$3 or holder or support\$3) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23
18	125	(cam or cam\$1shaft) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:54
19	30	(123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((cam or cam\$1shaft) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:22
20	17	(123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((cam or cam\$1shaft) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3))) not ((123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((cam or cam\$1shaft) same (mount\$3 or cas\$3 or holder or support\$3) and armature and (hydraulic\$4 or fluid) near2 (damp\$3 or cushion\$3)))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:22
21	235	<pre>(cam or cam\$1shaft) near2 holder and (damp\$3 or cushion\$3)</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:55
	8	(123/90.11.ccls. or 123/90.12.ccls. or 123/90.15,90.16,90.27,90.31.ccls. or 123/90.39,90.4,90.44.ccls. or 251/129.01,129.15,129.16.ccls. or 123/198F.ccls.) and ((cam or cam\$lshaft) near2 holder and (damp\$3 or cushion\$3))	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/03/23 08:55

-	1	jp-63295812-\$.did.	USPAT;	2004/03/22
			US-PGPUB;	13:57
	I		EPO; JPO;	
{			DERWENT	l
_	19	sugimoto-mitsuru.in.	USPAT;	2004/03/22
	"	Sugimoto mitsulu.in.	US-PGPUB;	13:59
				13.39
			EPO; JPO;	
			DERWENT	
-	48	umemoto-atsushi.in.	USPAT;	2004/03/22
			US-PGPUB;	14:01
			EPO; JPO;	
			DERWENT	
	5	watanabe-norihiko.in.	USPAT;	2004/03/22
			US-PGPUB;	14:04
			EPO; JPO;	11.01
			DERWENT	0004/00/00
_	0	watanabe-norihiko-\$.in.	USPAT;	2004/03/22
			US-PGPUB;	14:05
			EPO; JPO;	
1			DERWENT	
-	731	123/90.11.ccls.	USPAT;	2004/03/22
			US-PGPUB;	14:05
			EPO; JPO;	
				[
	4510	122/00 15 00 16 00 07 00 31	DERWENT	1 2004 (02 (22
-	4518	123/90.15,90.16,90.27,90.31.ccls.	USPAT;	2004/03/22
			US-PGPUB;	14:06
			EPO; JPO;	j l
			DERWENT	
-	785	123/193.5.ccls.	USPAT;	2004/03/22
			US-PGPUB;	14:06
			EPO; JPO;	
			DERWENT	
]	1024	122/00 20 00 4 00 441-		2004/02/22
-	1824	123/90.39,90.4,90.44.ccls.	USPAT;	2004/03/22
			US-PGPUB;	14:07
]			EPO; JPO;	
1			DERWENT	
-	4473	251/129.01,129.15,129.16.ccls.	USPAT;	2004/03/22
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	14:07
			EPO; JPO;	
			DERWENT	1
_	144	123/90.11.ccls. and	USPAT;	2004/03/22
_	144			
		123/90.15,90.16,90.27,90.31.ccls.	US-PGPUB;	14:08
			EPO; JPO;	
			DERWENT	
-	0		USPAT;	2004/03/22
		123/90.15,90.16,90.27,90.31.ccls.) and	US-PGPUB;	14:08
		123/193.5.ccls.	EPO; JPO;	
		·	DERWENT	
l _	2	123/90.11.ccls. and 123/193.5.ccls.	USPAT;	2004/03/22
		120/00.11.0010. and 120/190.0.0010.	US-PGPUB;	14:09
				14.09
			EPO; JPO;	
	_		DERWENT	
-	79		USPAT;	2004/03/22
		123/193.5.ccls.	US-PGPUB;	14:15
			EPO; JPO;	
			DERWENT	
_	28	123/193.5.ccls. and	USPAT;	2004/03/22
	2.0	123/90.39,90.4,90.44.ccls.	US-PGPUB;	14:17
		123/30.33/30.4/30.44.0018.	•	+3・+/
ļ			EPO; JPO;	
	_	400/400 5	DERWENT	
-	0	123/193.5.ccls. and	USPAT;	2004/03/22
		251/129.01,129.15,129.16.ccls.	US-PGPUB;	14:17
			EPO; JPO;	
			DERWENT	
-	2	123/193.5.ccls. and 123/198F.ccls.	USPAT;	2004/03/22
		,,,	US-PGPUB;	14:21
				1 1 1 2 1
			EPO; JPO;	
			DERWENT	

0

			γ · · · · · · · · · · · · · · · · · · ·	
-	11540	123/90.11.ccls. or	USPAT;	2004/03/23
1		123/90.15,90.16,90.27,90.31.ccls. or	US-PGPUB;	08:10
		123/90.39,90.4,90.44.ccls. or	EPO; JPO;	
		251/129.01,129.15,129.16.ccls. or	DERWENT	
	Į.	123/198F.ccls.		
_	2	camshaft adj holder with damp\$3	USPAT;	2004/03/22
		-	US-PGPUB;	14:23
			EPO; JPO;	
			DERWENT	
l _	78	camshaft adj holder	USPAT;	2004/03/22
		Cambridia and Holder	US-PGPUB;	14:23
			EPO; JPO;	11.23
	4		DERWENT	
_	29	(123/90.11.ccls. or	USPAT;	2004/03/22
-	29	123/90.15,90.16,90.27,90.31.ccls. or	US-PGPUB;	14:33
				14:33
		123/90.39, 90.4, 90.44.ccls. or	EPO; JPO;	
		251/129.01,129.15,129.16.ccls. or	DERWENT	
		123/198F.ccls.) and (camshaft adj holder)		
-	108	camshaft with rocker and damp\$3	USPAT;	2004/03/22
			US-PGPUB;	14:44
			EPO; JPO;	
			DERWENT	
-	25	(123/90.11.ccls. or	USPAT;	2004/03/22
		123/90.15,90.16,90.27,90.31.ccls. or	US-PGPUB;	14:55
		123/90.39,90.4,90.44.ccls. or	EPO; JPO;	
		251/129.01,129.15,129.16.ccls. or	DERWENT	
		123/198F.ccls.) and (camshaft with rocker		
		and damp\$3)		
1_	19	camshaft with rocker and damp\$3 and	USPAT;	2004/03/22
	19	(electro\$1magnetic or electro\$1mechanical	US-PGPUB;	14:55
				14.55
		or electro\$1hydraulic)	EPO; JPO;	
			DERWENT	0004/00/00
-	239	camshaft with rocker and	USPAT;	2004/03/22
		(electro\$1magnetic or electro\$1mechanical	US-PGPUB;	15:27
		or electro\$1hydraulic)	EPO; JPO;	
			DERWENT	
-	139	(123/90.11.ccls. or	USPAT;	2004/03/22
		123/90.15,90.16,90.27,90.31.ccls. or	US-PGPUB;	14:55
		123/90.39,90.4,90.44.ccls. or	EPO; JPO;	
		251/129.01,129.15,129.16.ccls. or	DERWENT	
		123/198F.ccls.) and (camshaft with rocker		
		and (electro\$1magnetic or		
		electro\$1mechanical or		
		electro\$1hydraulic))		
_	498	(electro\$1magnetic or electro\$1mechanical	USPAT;	2004/03/22
		or electro\$1hydraulic) and (damp\$3 or	US-PGPUB;	17:36
		cushion\$3 or (valve adj seat\$3)) and	EPO; JPO;	
		cam\$1shaft	DERWENT	
1_	46	((electro\$1magnetic or	USPAT;	2004/03/22
	انتا	electro\$1mechanical or	US-PGPUB;	15:33
		electro\$1hydraulic) and (damp\$3 or	EPO; JPO;	10.00
			DERWENT	
		cushion\$3 or (valve adj seat\$3)) and	DEKWENI	
		cam\$1shaft) and valve with (held or		
]		hold\$3) near2 open\$2	*****	2004/03/02
1-	23	(123/90.11.ccls. or	USPAT;	2004/03/22
1		123/90.15,90.16,90.27,90.31.ccls. or	US-PGPUB;	15:48
1		123/90.39,90.4,90.44.ccls. or	EPO; JPO;	
		251/129.01,129.15,129.16.ccls. or	DERWENT	
		123/198F.ccls.) and (((electro\$1magnetic		
		or electro\$1mechanical or		
		electro\$1hydraulic) and (damp\$3 or		
		cushion\$3 or (valve adj seat\$3)) and		
		cam\$1shaft) and valve with (held or		
		hold\$3) near2 open\$2)		
			····	

	1 22	I ///-1	T	10004/00/00
-	23	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	USPAT;	2004/03/22
		electro\$1mechanical or	US-PGPUB;	15:48
		electro\$1hydraulic) and (damp\$3 or	EPO; JPO;	
		cushion\$3 or (valve adj seat\$3)) and	DERWENT	
		cam\$1shaft) and valve with (held or		
	İ	hold\$3) near2 open\$2) not		
		((123/90.11.ccls. or		
ļ		123/90.15,90.16,90.27,90.31.ccls. or		
		123/90.39,90.4,90.44.ccls. or	1	}
	•	251/129.01,129.15,129.16.ccls. or		
		123/198F.ccls.) and (((electro\$1magnetic		
		or electro\$1mechanical or		
ļ		electro\$1hydraulic) and (damp\$3 or		`
		cushion\$3 or (valve adj seat\$3)) and	1	
		cam\$1shaft) and valve with (held or		
		hold\$3) near2 open\$2))		
-	103	(electro\$1magnetic or electro\$1mechanical	USPAT;	2004/03/22
		or electro\$1hydraulic) and (valve with	US-PGPUB;	16:37
		((held or hold\$3) near2 open\$2)) and	EPO; JPO;	
		cam\$1shaft	DERWENT	
_	32		USPAT;	2004/03/22
	1	123/90.11.0015. or	· ·	
	1		US-PGPUB;	16:04
	İ	123/90.39,90.4,90.44.ccls. or	EPO; JPO;	
	İ	251/129.01,129.15,129.16.ccls. or	DERWENT	ļ l
	1	123/198F.ccls.) and ((electro\$1magnetic		1
	1	or electro\$1mechanical or		
1	1	electro\$1hydraulic) and (valve with		
		((held or hold\$3) near2 open\$2)) and		
İ		cam\$1shaft)		
_	18	"4158348"	USPAT;	2004/03/22
	1	1200010	US-PGPUB;	16:11
				1 10.11
]	!		EPO; JPO;	ļ
		H4510000H	DERWENT	0004/00/00
-	22	"4510900"	USPAT;	2004/03/22
			US-PGPUB;	16:14
			EPO; JPO;	
			DERWENT	
_	3	"6095115"	USPAT;	2004/03/22
			US-PGPUB;	16:17
			EPO; JPO;	
			DERWENT	
_	3	"6405707"	USPAT;	2004/03/22
		0100101	l ·	
]			US-PGPUB;	16:18
			EPO; JPO;	
	_		DERWENT	
-	2	"20020108600"	USPAT;	2004/03/22
			US-PGPUB;	16:19
			EPO; JPO;	
			DERWENT	
-	205	((compression near2 brake) or (engine	USPAT;	2004/03/22
		near2 retarder)) and (electro\$1magnetic\$4	US-PGPUB;	16:21
i		or electro\$1hydraulic\$4 or	EPO; JPO;	
		electro\$1mechanical\$2)	DERWENT	
_	25	(123/90.11.ccls. or	USPAT;	2004/03/22
	23	123/90.11.ccls. of 123/90.15,90.16,90.27,90.31.ccls. or	The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	
			US-PGPUB;	16:21
		123/90.39,90.4,90.44.ccls. or	EPO; JPO;	
		251/129.01,129.15,129.16.ccls. or	DERWENT	
		123/198F.ccls.) and (((compression near2		
		brake) or (engine near2 retarder)) and		
		(electro\$1magnetic\$4 or		
		electro\$1hydraulic\$4 or		
		electro\$1mechanical\$2))		
_	5038	123/90.11.ccls. or	USPAT;	2004/03/22
		251/129.01,129.15,129.16.ccls.	US-PGPUB;	16:38
		22, 123.01, 123, 13, 123. 10.0013,	EPO; JPO;	10.30
	454	122/00 15 00 16 00 07 00 31 7 7	DERWENT	0004/00/00
_	154	123/90.15,90.16,90.27,90.31.ccls. and	USPAT;	2004/03/22
		(123/90.11.ccls. or	US-PGPUB;	16:38
		251/129.01,129.15,129.16.ccls.)	EPO; JPO;	
			DERWENT	ļ

Γ	1 49	(123/90.15,90.16,90.27,90.31.ccls. and	THO DAM	1 2004 (02 (22
	4.5	(123/90.13,90.16,90.27,90.31.ccis. and	USPAT;	2004/03/22
		251/129.01,129.15,129.16.ccls.)) and	US-PGPUB;	16:39
ŀ			EPO; JPO;	
	27	electro\$1magnetic\$4 near2 actuat\$3	DERWENT	
-	21	("4515343" "4533890" "4544986"	USPAT	2004/03/22
		"4614170" "4762095" "4777915"		16:54
		"4867111" "5222714" "5546268"		
		"5592905" "5791305" "5917692"		
		"6003481" "6009841" "6047672"		
		"6066999" "6073651" "6085704"		
		"6202609" "6257182" "6262498"		
		"6269784" "6276317" "6390036"		
		"6427650" "6467441" "6516758").PN.		
] -	7	6085704.URPN.	USPAT	2004/03/22
				17:06
-	7	("4762095" "4867111" "4942854"	USPAT	2004/03/22
		"5117213" "5161494" "5636601"		17:08
İ		"5772179").PN.		
-	7	4870930.URPN.	USPAT	2004/03/22
				17:21
	4	("3525317" "3884199" "4697558"	USPAT	2004/03/22
		"4762095").PN.		17:23
-	4	(US-4870930-\$ or US-6681731-\$ or	USPAT;	2004/03/22
		US-6085704-\$).did. or	US-PGPUB	17:31
		(US-20030164163-\$).did.		1
_	1	((US-4870930-\$ or US-6681731-\$ or	USPAT;	2004/03/22
		US-6085704-\$).did. or	US-PGPUB;	17:31
		(US-20030164163-\$).did.) and holder	EPO; JPO;	17.01
		the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the section of the se	DERWENT	
_	0	((US-4870930-\$ or US-6681731-\$ or	USPAT;	2004/03/22
		US-6085704-\$).did. or	US-PGPUB;	17:32
		(US-20030164163-\$).did.) and camshaft	EPO; JPO;	17.32
		with support\$4	DERWENT	
_	1	((US-4870930-\$ or US-6681731-\$ or	USPAT;	2004/03/22
	*	US-6085704-\$).did. or	US-PGPUB;	17:32
		(US-20030164163-\$).did.) and cam with		11.32
		support\$4	EPO; JPO; DERWENT	
_	3	((US-4870930-\$ or US-6681731-\$ or		2004/02/22
	3	US-6085704-\$).did. or	USPAT;	2004/03/23
			US-PGPUB;	08:00
		(US-20030164163-\$).did.) and (damp\$3 or	EPO; JPO;	
		cushion\$3 or (valve adj seat\$3))	DERWENT	

, ...